ATTORNEY DOCKET: ORN 3.0-002 REISSUE

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

: Group Art Unit: 3304

MARVIN A. ORNSTEIN

Serial No. 08/804,299

:Examiner: B. Layno

Filed: February 21, 1997

Reissue of U.S. Patent No. 5,718,431

Issued: February 17, 1998

GAMING SYSTEM AND METHOD FOR MULTIPLE PLAY WAGERING For:

Assistant Comm. For Patents 20231 Washington, D.C.

REISSUE APPLICATION TRANSMITTAL LETTER

Sir:

Enclosed herewith please find the following documents with regard to the above-identified Reissue Application:

- Transmittal Letter (in triplicate)
- Cut-up copy of U. S. Patent No. 5,718,431 including new Claims 27 and 28
- Reissue Declaration, Power of Attorney and 3. Petition
 - Order for Abstract of Title
 - 5. Offer to Surrender and Assent of Assignee
 - Preliminary Amendment 6.
 - Declaration of Louis Weinstein
 - Small Entity Statement
 - Check in the amount of \$489.00 to cover the filing fee (\$474.00) as per attached Schedule and the Order for Abstract of Title (\$15.00)
 - 10. One return postcard

DOCKET: ORN 3.0-002 REISSUE

This application is for a Reissue of United States Patent No. 5,718,431 issued to the above-named Applicant, and it is respectfully requested that a title report be made and placed on record in the file. Applicant hereby offers to surrender the original patent.

FILING FEE CALCULATION

	Number Filed	Number in Original Patent	Number Extra	Rate	Amount Column
Basic Fee			\$6	590/\$345 =	\$345.00
Present Claims	28 -	26	= 2 (A)		
Present Claims	28 -	(Less 20)	= <u>8</u> (B)		
FEE FOR TOTAL C	LAIMS		[(A)+(B)]	x \$18/\$9	\$ 90.00
Independent Claims	4 -	(less 3) =	1 x \$78/	\$39 = \$	39.00
Multiple Dependent Claims			x :	\$260/\$130 \$.00
			TOTAL FILI	NG FEE \$	474.00

The Commissioner is also authorized to charge any additional fees which may be required, or credit any overpayment to our Deposit Account No. 23-0815.

This Transmittal Letter is being filed in triplicate.

Respectfully submitted,

WEINSTEIN & KIMMELMAN

by the last

Louis Weinstein Registration No. 20,477 The Bellevue, 6th Floor Broad Street at Walnut Philadelphia, PA 19102

(215) 985-1133

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Group Art Unit: 3304

MARVIN ORNSTEIN

Examiner: B. Layno

Serial No. 08/804,299

Filed: February 21, 1997

Reissue of U.S. Patent No. 5,718,431

Issued: February 17, 1998

For:

GAMING SYSTEM AND METHOD FOR MULTIPLE PLAY WAGERING

Assistant Comm. For Patents Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

In the above-identified issued U.S. Patent No. 5,718,431, it is respectfully requested that the following changes be made:

IN THE CLAIMS:

Please add new claims 27 and 28 as follows:

- --27. A method of playing blackjack, comprising the steps of:
- (a) providing a conventional game receiving region and a plurality of consecutive win chip receiving regions for the player, each such region identifying a number of consecutive wins starting with the number two and up to a maximum number of chip receiving regions permitted by rules of the game;
 - (b) the player making a bet selecting a predetermined number of consecutive

wins by placing the bet in one of a predetermined group of consecutive win bet receiving regions for use by the player, each bet receiving region representing a different number of consecutive wins, the bet being of a denomination permitted by rules of the game;

- (c) dealing the player and dealer a predetermined number of cards;
- (d) dealing the player and the dealer additional cards, when necessary until the game is complete;
- (e) deciding the winner of the game in accordance with conventional blackjack rules; and
- (f) providing a streak chip for use in monitoring a number of consecutive wins made by the player;
- (g) placing the streak chip upon a chip receiving region identifying two consecutive wins to be attempted when the player has won the first game;
 - (h) repeating steps (c) through (e) during the play of each succeeding game;
- (i) transferring the streak chip to successively higher numbered consecutive wins bet receiving regions until the streak chip is placed upon the consecutive win bet receiving area in which the consecutive win bet was originally placed; and
- (j) paying a player an amount equal to the denomination of the consecutive wins bet made by the player at step (b) multiplied by the odds for the consecutive wins selected when the player wins a game following step (i).
 - 28. A method of playing a game of chance, comprising the steps of:
- (a) providing a conventional game receiving region and a plurality of consecutive win chip receiving regions for the player, each such region identifying a number of consecutive wins starting with the number two and up to a maximum number of chip receiving

regions permitted by rules of the game;

- (b) the player making a bet selecting a predetermined number of consecutive wins by placing the bet in one of a predetermined group of consecutive win bet receiving regions for use by the player, each bet receiving region representing a different number of consecutive wins, the bet being of a denomination permitted by rules of the game;
 - (c) playing the game of chance;
- (d) deciding the winner of the game in accordance with conventional rules of the game;
- (e) providing a streak chip for use in monitoring a number of consecutive wins made by the player;
- (f) placing the streak chip upon a chip receiving region identifying two consecutive wins to be attempted when the player has won the first game;
 - (h) repeating steps (c) and (d) during the play of each succeeding game;
- (i) transferring the streak chip to successively higher numbered consecutive wins bet receiving regions until the streak chip is placed upon the consecutive win bet receiving area in which the consecutive win bet was originally placed; and
- (j) paying a player an amount equal to the denomination of the consecutive wins bet made by the player at step (b) multiplied by the odds for the consecutive wins selected when the player wins a game following step (i).--

<u>REMARKS</u>

This amendment sets forth the newly added claims which cure the inoperativeness pointed out by the inventor in the accompanying Reissue Declaration.

For the above reasons, it is submitted that this Amendment should be entered and

made of record in the present application.

If there are any additional fees due in connection with this application or credits due, respectively, the Examiner is authorized to either charge or credit our Deposit Account No. 23-0815.

Respectfully submitted,

WEINSTEIN & KIMMELMAN

by tow Weinstein

Registration No. 20,477

The Bellevue, 6th Floor

Broad Street at Walnut

Philadelphia, PA 19102

(215) 985-1133

יייות יייית יייית יייית יייית	DOCKET:	\D\X	2	Λ.	-002	REISSUE
PAILNI	DOCKET:	UKN		. U ·	- U U Z	KETOOOF

APPLIC	CANT OR	PATENTE	Œ:	MARVII	1 A.	ORNSTEIN		
		R PATENT						
						MULTIPLE	PLAY	WAGERING

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS 37 CFR 1.9(f) AND 1.27(c) SMALL BUSINESS CONCERN

I hereby declare that with regard to the small business concern identified below I am:

- (X) the owner of the small business concern
- () an official of the small business concern empowered to act on behalf of same.

NAME OF	CONCERN:_	MAO	INC.					
ADDRESS	OF CONCER	N:	605	Porter	Str	eet		
			Ocea	an Sprir	ıqs,	MS	39564	

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under 35 USC 41(a) and (b) in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this Statement (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention entitled **GAMING SYSTEM AND METHOD FOR MULTIPLE PLAY** WAGERING by inventor MARVIN A. ORNSTEIN described in

	()	the	specification	filed	herewit
--	-----	-----	---------------	-------	---------

- () application serial no._____, filed
- (X) patent no. 5,718,431, issued February 17, 1998

Page 2

DOCKET: ORN 3.0-002

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having the rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

NAM!	E: RESS:					
	INDIVIDUAL	()	SMALL	BUSINESS	CONCERN	
()	NONPROFIT OR	CANIZATI	ON			

I acknowledge the duty to file in this patent application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the patent application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING MARVIN A. ORNSTEIN
TITLE OF PERSON SIGNING President
ADDRESS OF PERSON SIGNING 605 Porter Street Ocean Springs. MS 39564
SIGNATURE havin & Chorsto DATE

[11] Patent Number:

5,718,431

[45] Date of Patent:

Feb. 17, 1998

OTHER PUBLICATIONS

The Fresno Bee, "Blackjack Introduced At Table Mountain", Royal Calkins, Nov. 10, 1992.

Primary Examiner—Benjamin H. Layno Attorney, Agent, or Firm—Louis Weinstein

157

ABSTRACT

A gaming method and system which allows a player to wager varying amounts on whether that player will have multiple consecutive wins of a game of chance and which provides a simplified arrangement for monitoring the progress of such bets made by one or more players.

26 Claims, 6 Drawing Sheets

GAMING SYSTEM AND METHOD FOR MULTIPLE PLAY WAGERING

FIELD OF THE INVENTION

This invention relates generally to games of chance such as are found in casinos and other legal gambling establishments and more particularly to a gaming system which can be used to play blackjack, roulette, craps, baccarat and poker either at a table or a video machine or slot machine.

The same gaming system can be used to play any game of chance wherein the player's chance to win is fifty percent (50%), less a reasonable house edge resulting from the inherent rules of the relevant game.

The same gaming system can be applied to the home 15 video, home computer and arcade markets.

BACKGROUND OF THE INVENTION

In those areas of the United States and the rest of the world where gambling is legal, there is a constant demand and need for new or improved games of chance to attract gamblers to casinos and other gaming establishments. At the same time, experienced players have become familiar with traditional games of chance and gaming machines such as slot machines, video games, blackjack tables, roulette tables, baccarat tables, crap tables and poker tables. Therefore, it is desirable that any new gaming machine or system, which, while taking advantage of this familiarity create new or added interest in the game.

One technique that can be used to increase the attraction of games of chance and lengthen the time in which the players will stay at a particular gaming table or casino is to base the player's ultimate winning payoff not just on a single play of a game but on their success on repeated plays. In other words, a player is given an opportunity to increase his or her payoff odds by winning the game two, three or four consecutive times, for example. Unfortunately, using prior art gaming tables and systems, there has not been an efficient way for casinos and casino dealers to keep track of consecutive wins or losses by a player at a particular time in order to readily determine and calculate payoffs based on successive wins or losses.

What is needed, then, is a gaming method and system which can accommodate one or more gamblers while allowing for multiple play wagering, that is, where the player receives an ultimate payoff based upon achieving a preselected number of consecutive wins at the game of chance. U.S. Pat. No. 5,570,885 invented by the inventor of the present invention, teaches an electronic gaming system for playing such a game. However, it is desirable to provide a simplified, non-electronic and non-electromechanical technique for use in applications where the expense of the equipment disclosed in my U.S. Pat. No. 5,570,885 is not warranted. Such a simplified and yet efficient system is lacking in the prior art.

BRIEF DESCRIPTION OF THE INVENTION

One object of the present invention is to provide an inexpensive gaming method and system that allows a player 60 to receive an enhanced payoff based on achieving a predetermined number of consecutive wins at a game of chance.

Another object of the gaming system of the present invention is to allow multiple players at a gaming table to place bets based on number of consecutive wins or losses 65 and to provide means to easily and readily monitor the progress towards winning such bets.

In accordance with these and other objects which will become apparent below, the gaming method and system of the present invention is based on a consecutive game win/ lose monitoring technique which allows an operator, such as a dealer, to keep track of each individual player's consecutive wins or losses.

The system can be used to play conventional games of chance, such as blackjack, roulette, baccarat, craps and poker or any game of chance wherein the player's chance to win is fifty percent (50%) less a reasonable house edge resulting from the inherent rules of the relevant game. The system can be easily incorporated with a conventional gaming table, such as blackjack, in which each player's seating area at the table is provided with a player-specific bet selection area having marks (i.e. chip receiving regions) for receiving special markers, such as chips. The bet selection markers are used by the player to indicate how many consecutive wins that player believes he will win in order to receive an enhanced payoff, based on predetermined odds. A player also selects a bet value which, in accordance with one 20 preferred embodiment of the system, is entered by placing a chip or chips of the desired denomination upon the desired consecutive win mark.

A plurality of chip marking locations are provided convenient to a dealer and adjacent to each player's position 25 about a table, such as for example a blackjack table. Chips placed on consecutive wins marks represent only the consecutive win bet. Conventional blackjack bets will continue to be made by placing a chip or chips on the betting circle or square of each player and separate from the consecutive 30 win mark. In one preferred embodiment, up to four consecutive wins may be selected by a player. Each marker location preferably contains a number which identifies the consecutive win bet together with the odds. An original bet chip mark is also provided for the placement of the "streak 35 chip" to indicate that the player is attempting to win the first of a certain number of consecutive wins. The original bet chip mark may also be used by a casino for the player's conventional bet.

In the play of each game, the dealer places a consecutive 40 number of wins chip, hereinafter referred to as a "streak" chip on the marker locations before the player wins the relevant game. For example, assuming that the player has selected two consecutive wins by placing a chip or chips on the consecutive wins marker bearing the number "2", and, 45 assuming the player has won the first game, the dealer pays off the original conventional bet and places the streak chip upon the chip bet by the player which is on the marker bearing the consecutive win number "2", indicating that the player has won one game and will win his consecutive wins 50 bet with one more win. If the player wins the second game, the player thus wins his second conventional bet plus his consecutive win bet. If the player loses any game before two consecutive wins, the streak chip is removed and the chips originally placed on the consecutive wins mark bearing the 55 number "2" are removed.

In the event that a player selects more than two consecutive wins (i.e. three or four consecutive wins) the streak chip, after two consecutive wins is moved to the marker indicating three consecutive wins, and so forth. The streak chip and streak marker locations are designed to simplify and ease the responsibility of the dealer in the monitoring of consecutive win bets.

BRIEF DESCRIPTION OF THE FIGURES

65 FIG 1 is a plan view of a first embodiment of the system of the present invention in which the game of chance is blackjack played at a multiple player blackjack table FIG. 2 is a detailed plan view showing the markers and chips utilized by the dealer for monitoring the consecutive play bets for each player.

FIGS. 3a through 3e show the manner in which the marking locations of FIG. 2 are utilized during play.

FIGS. 4 through 6 are plan views of additional embodiments of the system of the present invention in which the game of chance is, respectively: roulette played at a roulette table; craps and baccarat and in which the consecutive wins betting method and system are employed.

DETAILED DESCRIPTION OF THE INVENTION AND PREFERRED EMBODIMENTS THEREOF

Referring to FIG. 1, a first embodiment of the gaming system is shown. In this embodiment, the game of chance is blackjack, a game having rules and objectives well known to those of ordinary skill in the art as well as those in the gaming community as a whole. In gaming casinos, blackjack is conventionally played at a blackjack table 11 having multiple player seating areas 12 to allow more than one player to participate at single table 11. The game is run by a dealer who stands in the dealer area 13. The dealer area 13 and multiple player seating areas 12, including the players' conventional betting areas 17 are sometimes distinguished from one another by a divider 20 to eliminate or reduce the risk of accidental mixing of the dealer cards and player cards. Betting areas 15 are provided for each player to receive a chip or chips representing a conventional blackjack bet and/or a consecutive wins bet, the detailed arrangement being shown in FIG. 2. Placed convenient to each player seating area 12 and betting area 15, and convenient to the dealer, is a betting area 17 in which are placed chips utilized for the conventional blackjack bet. As discussed below, the conventional blackjack bet may be placed in a betting area 15 when the player makes a consecutive wins bet and said bet remains active. A relevant casino may choose to restrict conventional bets to section 15, whether or not a consecutive wins bet is active.

Making reference to FIG. 2 the region 15 includes four circles C1 through C4 respectively. The circles are arranged to accommodate circular-shaped chips, as is currently the standard in casinos. The same chips used to make a conventional blackjack bet will be used to make a streak bet.

The chip receiving regions C1 through C4 each preferably carry a numeric indica namely "1" through "4", respectively. Adjacent to each of the chip receiving areas is a legend specific to that chip receiving area. For example area C1 carries a legend "Player's Original Bet". This is a position where the streak chip and/or conventional bet chips are placed. When a streak bet is active the player will place all bets in C1 rather than betting area 17, where conventional bets are placed when streak bets are not active. The denomination of the chip or chips placed therein are typically limited by the house. For example, some tables may have a \$25.00 minimum bet and a maximum bet of \$1,000.00. A chip or chips are placed in the chip receiving area C1 representing the player's bet and having a denomination lying between the minimum and maximum bet allowed by the house.

Chip receiving area C2 has the legend "2 times pays 4 for 1" associated therewith. This indicates to the player that if it is desired to make a consecutive wins bet in addition to an original bet, namely that the player is betting that he will win 65 two consecutive blackjack games in a row, the player places a betting chip on location C2.

In a similar fashion in the event that a player wishes to bet that he will win three (3) consecutive games in a row, the player places a chip in the amount of the bet desired by the player (again being a denomination within the house upper and lower limits) in chip receiving area C3 which indicates to the player and the dealer that three (3) consecutive wins pays 8 for 1 odds.

In a similar fashion chip receiving area C4 advises the player and dealer that four consecutive wins pays 18 for 1.

Making reference to FIGS. 3a through 3e, typical cycles

of play are as follows:

Prior to selecting a consecutive wins, the player makes a conventional bet by placing a chip (or a number of chips), representing currency, within betting circle C1 up to the maximum bet amount allowed by that casino or "house".

The consecutive number of wins is selected and the amount to be bet is simultaneously selected by placing a chip (or chips) of the desired denomination on the desired chip receiving region which is one of the regions C2 through C4.

FIG. 3a shows an example where the player has made an original bet by placing a chip BC1 in receiving region C1 and placing a chip BC2 of the desired denomination in region C4 indicating that the player expects to win four games in a row.

After the play of the first hand and assuming that the player making the bets in FIG. 3a has a winning hand, a streak chip S, which is under the control of the dealer, is placed in region C2 by the dealer. The player's original bet is paid off and the player then makes another original bet preparatory to initiation of the second play, as shown in FIG. 3h

Assuming that the player is a winner during the second play, preparatory to the third play, the dealer pays off the player at the location shown in FIG. 3b on the original bet and moves the streak chip S to the receiving region C3. The betting chip BC2 representing the four consecutive wins bet made by the player remains in region C4. The player makes another original bet preparatory to the play of the third game, as shown in FIG. 3C.

Assuming that the player at the location represented by FIG. 3c wins the play of the third hand preparatory to the fourth play, the dealer pays off the player at the location shown in FIG. 3c on the original bet and moves the streak chip S to the receiving region C4. The betting chip or chips representing the four consecutive wins bet made by the player remains in region C4 under the streak chip S. If the player wins the fourth consecutive hand, the dealer pays the player the amount of the original bet and an amount representing 17 times the streak (i.e. four consecutive wins) bet as represented by FIG. 3d.

In the event that a player loses any game prior to winning four continuous games i.e. if the player loses to the dealer during any one of the first, second, third or fourth games, the house wins the streak bet and the conventional bet of the relevant game the player has lost, as represented in FIG. 3e.

Although the example given provides for a streak bet of four consecutive wins, a player can select a streak bet of two consecutive wins or three consecutive wins, if desired. If desired, a greater number of consecutive wins may be provided.

When the streak chip S reaches the streak bet, i.e if placed upon the streak bet chip BC2 as shown in FIG. 3d, the player 65 and the dealer know that the next hand is the potential streak win Conversely, if a player loses the fourth game or any game prior to the play of the fourth game, the house wins.

Conventional bets must be played during the process and the play rules for conventional bets are not changed in any way except that conventional bets without streak bets may be placed in betting area 17 and conventional bets, whenever streak bets are made, will be placed as the original bet 5 (conventional bet) as shown at C1, FIG. 2 and BC1, FIGS. 3a-3e. A relevant casino may choose to eliminate the conventional betting area 17 and use area 15 for conventional betting, whether or not a streak bet (i.e. consecutive wins) is made. With respect to streak bets, pushes (ties) may 10 either advance a streak bet or result in a tie with no effect on the streak bet. The relevant payoff of the streak bet will be affected by the relevant casino's decision to count pushes as wins or ties. If the player splits his conventional bet one or more times, the streak bet will win or lose depending on the 15 net result of the split. If the net result of the split is neither a win nor a loss, the streak bet remains intact. Double downs result in a single win or a single loss.

Play of each blackjack hand begins by the dealer dealing the player's cards to each player and dealing cards to himself in front of chip rack 21. The first game of blackjack proceeds in a conventional manner with winners being declared in accordance with the rules of the game.

If desired, streak bets may be utilized in the play of roulette as shown in FIG. 4 or in craps as shown in FIG. 5 or baccarat as shown in FIG. 6.

The arrangement shown in FIG. 2 is used by the dealer to indicate to the player and the dealer how many consecutive wins in roulette (see FIG. 4) are selected by the player in order for the player to receive an enhanced payoff amount. In the embodiment of FIG. 4, the game of roulette the player can play any even money bet—i.e. odd or even, black or red and 1 to 18 or 19 to 36 numbers selection area.

Players select a dollar amount for the consecutive wins 35 bet in the same manner as was previously described for FIGS. 1-3e. The conventional roulette bets, however, are placed directly on the odd/even, red/black 1-18 or 19-36 numbers area or directly on specific numbers or a specific range of numbers. The player also selects a number of 40 consecutive wins which may be the consecutive number of assorted even bet wins, odd bet wins, red bet wins, black bet wins, or number wins, according to the type of consecutive win bets permitted by the house. For example, the house may limit the consecutive win bet to the number of con- 45 secutive odd wins or consecutive even wins or may limit the bet to consecutive red wins or black wins, etc. Each player area for receiving consecutive win bets is of the type shown in FIG. 2 and is convenient to both the player and the croupier.

Each game is played in the same fashion as a conventional game of roulette with the croupier keeping a count of the number of consecutive wins using the same technique described in conjunction with FIGS. 2 through 3e, a winner, or loser, being determined in accordance with the rules set 55 forth hereinabove.

FIG. 5 is a third embodiment of the system where the game of chance is craps played at a craps table 71. Similar to the blackjack and roulette tables described above, a conventional craps table 71 is modified by distributing a 60 plurality of betting areas and placing them at each multiple player standing area 72 which is also convenient to the croupier. Flach betting area 75 includes a chip receiving pattern as shown in FIG. 2, which is used by the player and dealer to make a bet and further to monitor the consecutive 65 wins or losses in order to determine if a player is entitled to an enhanced payoff In the game of craps, and in this

embodiment of the system, the player also has the choice of indicating whether the player believes he will win or lose and so indicating by selection of player win or player loss which can be identified by replacing the original bet circle with one circle for win or one for lose. Thus, the player can achieve an enhanced payoff by placing a bet which indicates that he believes he will win a consecutive number of games or lose a given number of consecutive games. Of course, the dollar amount of the bet is signified by the player placing his chips within betting area 76 and successive plays are monitored by the dealer in the same manner as described above in connection with the game of blackjack, for example.

FIG. 5 shows a sixth embodiment of the system in which the game of chance is baccarat, played at a baccarat table 81, having multiple player scating areas 82 distributed around table 81 and a dealer area 83. Each player scating area 82 has a special betting area 85, which includes chip receiving markings of the type shown in FIG. 2. However, in the game of baccarat, the player has the option of indicating to the system whether he believes that the player will win, or that the bank will win. The dollar amount of the bet is signified by the player by placing the desired number of chips within betting circle 85.

The game of baccarat is played in the conventional manner with the dealer monitoring the number of wins for each player employing a streak coins (see FIG. 2). The player either wins or loses a consecutive wins bet according to substantially the same rules as set forth hereinabove, namely if a player loses the last game or any one of the games played before reaching the selected number of consecutive wins, the player loses.

It should be understood that the odds for the number of consecutive wins for the various games such as roulette, craps, baccarat and poker will be different as compared with the odds of winning a consecutive number of blackjack games.

A latitude of modification, change and substitution is intended in the foregoing disclosure, and in some instances, some features of the invention will be employed without a corresponding use of other features. Accordingly, it is appropriate that the appended claims be construed broadly and in a manner consistent with the spirit and scope of the invention herein described.

What is claimed is:

50

- 1. A method of playing blackjack, comprising the steps of:
- (a) providing a conventional game receiving region and a plurality of consecutive win chip receiving regions for the player, each such region identifying a number of consecutive wins starting with the number two and up to a maximum number of chip receiving regions permitted by rules of the game;
- (b) the player making a conventional bet of a denomination within the denomination range permitted by rules of the game;
- (c) the player making a bet selecting a predetermined number of consecutive wins by placing the bet in one of a predetermined group of consecutive win bet receiving regions for use by the player, each bet receiving region representing a different number of consecutive wins, the bet being of a denomination permitted by rules of the game;
- (d) dealing the player and dealer a predetermined number
 of cards;
 - (c) dealing the player and the dealer additional cards, when necessary until the game is complete.

- (f) deciding the winner of the game in accordance with conventional blackjack rules;
- (g) providing a streak chip for use in monitoring a number of consecutive wins made by the player;
- (h) placing the streak chip upon the chip receiving region identifying two consecutive wins to be attempted when the player has won the first game;
- (i) repeating step (b) preparatory to the play of the second game;

- (j) repeating steps (d) through (f) during the play of each succeeding game;
- (k) transferring the streak chip to successively higher numbered consecutive wins bet receiving regions until the streak chip is placed upon the consecutive win bet receiving area in which the consecutive win bet was originally placed; and
- (1) paying a player an amount equal to the denomination of the consecutive wins bet made by the player at step 20 (c) multiplied by the odds for the consecutive wins selected when the player wins a game following step (k).
- 2. The method of claim 1 further comprising:
- (m) designating the player as a losing player if the player loses any game representing the total number of consecutive wins selected at step (c) by the player and removing the player's consecutive wins bet.
- 3. The method of claim 1 wherein the maximum permissible number of consecutive wins is four and the designated consecutive wins chip receiving areas are identified by designating numerals "2", "3" and "4", respectively.
- 4. The method of claim 1 wherein step (g) further includes marking the streak chip so as to distinguish the streak chip 35 from any betting chip used by the player.
- 5. The method of claim 1 wherein step (a) is further comprised of providing an indication of the payment odds for achieving the number of consecutive wins for each associated consecutive wins chip receiving region.
- 6. The method of claim 5 wherein the step of providing the odds further includes providing four for one odds for two consecutive wins, eight for one odds for three consecutive wins and eighteen for one odds for four consecutive wins.
- 7. The method of claim 1 further comprising advancing 45 the streak chip to a next higher number consecutive wins chip receiving region when a dealer's hand and the player's hand have the same count.
- 8. The method of claim 1 wherein the streak chip is not advanced to a next higher consecutive win chip receiving segion when a dealer's hand and a player's hand have a same count.
- 9. The method of claim 1 wherein when a player splits a hand one or more times during a play of any game prior to winning a consecutive wins bet, the streak bet will win or 55 lose depending on the net result of the split or splits, a net result of no gain will not result in a loss nor will result in a streak chip advancing to the next higher consecutive win chip receiving region.
- 10. A method of playing a game of chance, comprising the 60 steps of:
 - (a) providing a conventional game receiving region and a plurality of consecutive win chip receiving regions for the player, each such region identifying a number of consecutive wins starting with the number two and up 65 to a maximum number of chip receiving regions permitted by rules of the game;

- (b) the player making a conventional bet of a denomination within the denomination range permitted by rules of the game;
- (c) the player making a bet selecting a predetermined number of consecutive wins by placing the bet in one of a predetermined group of consecutive win bet receiving regions for use by the player, each bet receiving region representing a different number of consecutive wins, the bet being of a denomination permitted by rules of the game;
- (d) playing the game of chance;

10

- (e) deciding the winner of the game in accordance with conventional rules of the game;
- (f) providing a streak chip for use in monitoring a number of consecutive wins made by the player;
 - (g) placing the streak chip upon the chip receiving region identifying two consecutive wins to be attempted when the player has won the first game;
- (h) repeating step (b) preparatory to the play of the second game;
 - (i) repeating steps (d) and (e) during the play of each succeeding game;
 - (j) transferring the streak chip to successively higher numbered consecutive wins bet receiving regions until the streak chip is placed upon the consecutive win bet receiving area in which the consecutive win bet was originally placed; and
 - (k) paying a player an amount equal to the denomination of the consecutive wins bet made by the player at step
 (c) multiplied by the odds for the consecutive wins selected when the player wins a game following step
 (j).
 - 11. The method of claim 10 further comprising:
- (m) designating the player as a losing player if the player loses any game representing the total number of consecutive wins selected at step (c) by the player and removing the player's consecutive wins bet.
- 12. The method of claim 10 wherein the maximum 40 permissible number of consecutive wins is four and the designated consecutive wins chip receiving areas are identified by designating numerals "2", "3" and "4", respectively.
- 13. The method of claim 10 wherein step (g) further 45 includes marking the streak chip so as to distinguish the streak chip from any betting chip used by the player.
- 14. The method of claim 10 wherein step (a) is further comprised of providing an indication of the payment odds for achieving the number of consecutive wins for each so associated consecutive wins chip receiving region.
 - 15. The method of claim 10 wherein the game of chance is blackjack.
 - 16. The method of claim 10 wherein the game of chance is baccarat
- 55 17. The method of claim 10 wherein the game of chance is craps.
 - 18. The method of claim 10 wherein the game of chance is roulette.
- 19. The method of claim 18 wherein the number of60 consecutive wins is the number of consecutive games in which an even bet is won by a player.
 - 20. The method of claim 18 wherein the number of consecutive wins is the number of consecutive games in which an odd bet is won by a player.
- 55 21 The method of claim 18 wherein the number of consecutive wins is the number of consecutive games in which one of an even and an odd bet is won by a player.

22. The method of claim 18 wherein the number of consecutive wins is the number of consecutive games in which a red bet is won by a player.

23. The method of claim 18 wherein the number of consecutive wins is the number of consecutive games in 5

which a black bet is won by a player.

24. The method of claim 18 wherein the number of consecutive wins is the number of consecutive games in which one of a red and a black bet is won by a player.

25. The method of claim 18 wherein the number of consecutive wins is the number of consecutive games in which one of 1-18 or 19-36 number areas bet selection is won by a player.

26. The method of claim 10 wherein the game of chance

is poker.

£ 6 2 4


- 27. A method of playing blackjack, comprising the steps of:
- (a) providing a conventional game receiving region and a plurality of consecutive win chip receiving regions for the player, each such region identifying a number of consecutive wins starting with the number two and up to a maximum number of chip receiving regions permitted by rules of the game;
- (b) the player making a bet selecting a predetermined number of consecutive wins by placing the bet in one of a predetermined group of consecutive win bet receiving regions for use by the player, each bet receiving region representing a different number of consecutive wins, the bet being of a denomination permitted by rules of the game;
- (c) dealing the player and dealer a predetermined number of cards;
- (d) dealing the player and the dealer additional cards, when necessary until the game is complete;
- (e) deciding the winner of the game in accordance with conventional blackjack rules; and
- (f) providing a streak chip for use in monitoring a number of consecutive wins made by the player;
- (g) placing the streak chip upon a chip receiving region identifying two consecutive wins to be attempted when the player has won the first game;
- (h) repeating steps (c) through (e) during the play of each succeeding game;
- (i) transferring the streak chip to successively higher numbered consecutive wins bet receiving regions until the streak chip is placed upon the consecutive win bet receiving area in which the consecutive win bet was originally placed; and

. . . .


- (j) paying a player an amount equal to the denomination of the consecutive wins bet made by the player at step (b) multiplied by the odds for the consecutive wins selected when the player wins a game following step (i).
- 28. A method of playing a game of chance, comprising the steps of:
- (a) providing a conventional game receiving region and a plurality of consecutive win chip receiving regions for the player, each such region identifying a number of consecutive wins starting with the number two and up to a maximum number of chip receiving regions permitted by rules of the game;
- (b) the player making a bet selecting a predetermined number of consecutive wins by placing the bet in one of a predetermined group of consecutive win bet receiving regions for use by the player, each bet receiving region representing a different number of consecutive wins, the bet being of a denomination permitted by rules of the game;
 - (c) playing the game of chance;
- (d) deciding the winner of the game in accordance with conventional rules of the game;
- (e) providing a streak chip for use in monitoring a number of consecutive wins made by the player;
- (f) placing the streak chip upon a chip receiving region identifying two consecutive wins to be attempted when the player has won the first game;
- (h) repeating steps (c) and (d) during the play of each succeeding game;
- (i) transferring the streak chip to successively higher numbered consecutive wins bet receiving regions until the streak chip is placed upon the consecutive win bet receiving area in which the consecutive win bet was originally placed; and

4 4 5 A


(j) paying a player an amount equal to the denomination of the consecutive wins bet made by the player at step (b) multiplied by the odds for the consecutive wins selected when the player wins a game following step (i).















Feb. 17, 1998





S





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Group Art Unit: 3304

MARVIN ORNSTEIN

Examiner: B. Layno

Serial No. 08/804,299

:

Filed: February 21, 1997

Reissue of U.S. Patent No. 5,718,431

Issued: February 17, 1998

For:

GAMING SYSTEM AND METHOD FOR MULTIPLE PLAY WAGERING

Assistant Comm. For Patents Washington, D.C. 20231

REISSUE DECLARATION, POWER OF ATTORNEY AND PETITION

Sir:

I, MARVIN ORNSTEIN, a U.S. citizen have read the foregoing 1. specification and claims, and I verily believe that I am the original, first inventor of the invention entitled GAMING SYSTEM AND METHOD FOR MULTIPLE PLAY WAGERING and which is described and claimed in U.S. Patent No. 5,718,431 issued February 17, 1998, and that I do not know and do not believe that this invention was ever known or used in the United States before my invention or discovery thereof.

2. I verily believe that I am the original, first inventor of the invention entitled GAMING SYSTEM AND METHOD FOR MULTIPLE PLAY WAGERING and which is described and claimed in Reissue Application Serial No. 08/718,431 being filed together with my Declaration and that I do not know and do not believe that this invention was ever known or used in the United States before my invention or discovery thereof.

- 3. I hereby state that I have reviewed and understand the contents of the above-identified issued patent, including the specification and claims, as amended, as shown in the preliminary amendment accompanying this Reissue Declaration.
- 4. I acknowledge a duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).
- 5. I further pray that I may be allowed to surrender the aforesaid United States Patent No. 5,718,431, issued February 17, 1998, and that such Letters Patent may be reissued to me for the same invention upon the foregoing amended claims. With this Petition is filed an Order for an Abstract of Title, duly certified, as is required in such cases.
- 6. I declare that the above-identified patent is inoperative or invalid by reason of claiming less than I had a right to claim in the patent. More specifically, certain of the claims of the issued patent are unnecessarily limited due to the recitation that the player is required to make a conventional bet, as well as a side bet, whereas the thrust of the invention is the ability to make a bet in which a player selecting the number of consecutive games the player expects to win regardless of whether a conventional bet is made. I am also the inventor of U.S. Patent No. 5,570,885, issued November 5, 1996 entitled ELECTRONIC GAMING SYSTEM AND METHOD, etc. which describes in the specification and recites claims directed only to a game in which a player makes a consecutive win bet absent a conventional bet. In the specification of my U.S. Patent No. 5,718,431, I state that my objective is to provide a non-electrical, non-electromechanical technique for the game disclosed in U.S. Patent No. 5,570,885.

7. That on or about January 3, 2000 and after issuance of U. S. Patent No. 5,718,431, I was preparing my game for use in casinos in the United States. In considering the use of various alternatives of my game, I reviewed the '431 patent and discovered that the claims were unnecessarily limited by including limitations regarding the making of a conventional bet which are not required to achieve the principal objectives of the invention. I brought my analysis of the objectives of the invention to the attention of patent counsel, who confirmed that the claims were so limited and advised that a reissue patent could be requested to correct the unnecessarily limited claims. Until such time, I was unaware that the claims were so limited. Patent counsel advised that the claims could be amended by way of a reissue proceeding and I authorized the filing of a reissue application.

New claims 27 and 28 set forth in the Preliminary Amendment accompanying this Declaration, cure the limited nature of the original claims.

- 8. The errors set forth hereinabove occurred without any deliberate or deceptive intent on my part.
- 9. I have read the Declaration of Louis Weinstein accompanying this Declaration, and hereby ratify its contents.
- 10. I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United

States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

I1. I hereby appoint the following attorney to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith:

LOUIS WEINSTEIN Registration No. 20,477 Weinstein & Kimmelman The Bellevue, 6th Floor 200 S. Broad Street Philadelphia, PA 19102

Address all communications regarding this Reissue Application to Louis Weinstein at the above address.

Address all telephone calls to Louis Weinstein at Telephone No. 215-985-

1133.

INVENTOR'S FULL NAME: MARVIN ORNSTEIN
SIGNATURE OF INVENTOR: Roum a Canal
DATE:
RESIDENCE: 605 Porter Street, Occan Springs, MS 39564
CITIZENSHIP: UNITED STATES
POST OFFICE ADDRESS: SAME AS ABOVE